



**MATERIAL SAFETY
DATA SHEET**

DG SLICK FOAM

Chemical Product and Company Information

MANUFACTURER'S NAME DrillGreen Petroleum Products	EMERGENCY TELEPHONE NUMBER 361.570.5663
ADDRESS 6001 US Hwy 59 North Victoria, Texas 77905	INFORMATION TELEPHONE NUMBER 361.570.5661
	DATE PREPARED 1/29/13

COMPOSITION/ INFORMATION ON INGREDIENTS

No Hazardous ingredient(s)		
----------------------------	--	--

HAZARDS IDENTIFICATION

Physical State and Appearance	State: Solid Stick Form
CERCLA Reportable Quantity	N/A
Hazard Summary	Not regulated to be a health or physical hazard
Routes of Exposure	Skin (contact), eyes

POTENTIAL HEALTH EFFECTS

Eye	May be slightly irritating to eyes.
Skin Contact	May be slightly irritating to skin.
Inhalation	Not Expected to be harmful if inhaled.
Ingestion	Not considered a likely route of exposure, however, may be harmful or cause irritation if swallowed.
Medical Conditions	Exposure to this product may aggravate medical conditions involving the following: skin/epithelium, eyes.

FIRST AID

Eyes	Flush eyes with plenty of water for 15 minutes, occasionally lifting upper and lower eyelids. Get medical attention if irritation occurs.
Skin	Remove and launder or clean contaminated clothing and shoes. Wash with soap and water until no evidence of material remains. Get medical attention if irritation occurs.



DG SLICK FOAM (CONT.)

Inhalation	Remove to fresh air. Oxygen may be administered if breathing is difficult. If not breathing, administer CPR and seek medical attention. Get medical attention if symptoms appear.
Ingestion	If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never induce vomiting or give anything by mouth to a victim who is unconscious or having convulsions. Get medical attention if symptoms appear.

FIRE MEASURES

FLAMMABLE PROPERTIES	FLAMMABILITY LIMITS
Not regulated as flammable or combustible	LFL: N/A
OSHA Flammability Class: IIIB	UFL: N/A

Products of Combustion	These products are Carbon oxides (CO, CO ₂). Nitrogen oxides (NO, NO ₂).
Fire Hazards in Presence of Various Substances	Open Flames/Sparks/Static. Heat
Fire-fighting media	In case of fire, use foam, dry chemicals, or CO ₂ fire extinguishers. Evacuate area and fight fire from a safe distance. Water spray may be used to keep fire-exposed containers cool. Keep water run off out of sewers and public waterways.
Fire-fighting equipment	Do not enter fire area without proper PPE, including NIOSH/MSHA approved self-contained breathing apparatus.

ACCIDENTAL RELEASE MEASURES (See Section 13 for Regulatory Information)

Spills	Put on appropriate PPE. Evacuate surrounding areas, if necessary. Scoop up spilled materials and place in an appropriate container for disposal. Waste must be disposed of in accordance with federal, state and local environmental control regulations.
---------------	---

HANDLING AND STORAGE

Special Precautions	Use appropriate PPE. Avoid contact with skin, eyes and clothing. Avoid breathing vapors or dusts. Use only with adequate ventilation. Store in dry, cool area. Keep container closed and dry.
----------------------------	---

EXPOSURE CONTROL/ PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT	
Eye/ Face	Chemical safety goggles
Skin Protection	Wear long sleeves to prevent repeated or prolonged skin exposure.
Respiratory Protection	Respirator use is not expected to be necessary under normal conditions of use.



DG SLICK FOAM (CONT.)

Other Information	Chemical resistant gloves. Chemical resistant boots or overshoes. Natural rubber gloves
Engineering Controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the workstation location.

PHYSICAL AND CHEMICAL PROPERTIES

pH (aqueous solutions)	6.5-8.0	SP Gravity	1.084 -1.96 @ 16 degrees C (60 degrees F)
Density	9.03 – 9.13 lbs/gal @ 16 degrees C (60 degrees F)	Appearance	Waxy Stick. Solid, neutral color.
SOL in H2O	Soluble	Odor	No distinct order
Pour Point	N/A	Vapor Pressure	N/A
Vapor Density	N/A	Viscosity	N/A
Flash Point	N/A	Evaporation Point	N/A

STABILITY AND REACTIVITY

Stability and Reactivity	This product is stable.
Materials to Avoid	Oxidizing materials.
Hazardous Decomposition Products	N/A

TOXICOLOGICAL INFORMATION

Target Organs	skin/epithelium, eyes
----------------------	-----------------------

DISPOSAL CONSIDERATIONS (See Section 13 for Regulatory Information)

Disposal	Responsibility for proper waste disposal rests with the generator of the waste. Dispose of any waste material in accordance with all applicable federal, state and local regulations. Note that these regulations may also apply to empty containers, liners and rinsate. Processing, use, dilution or contamination of this product may cause its physical and chemical properties to change.
-----------------	--



DG SLICK FOAM (CONT.)

TRANSPORT INFORMATION

DEPARTMENT OF TRANSPORTATION (D.O.T.)	Not Regulated by DOT.
--	-----------------------

REGULATORY INFORMATION (Not meant to be all inclusive- selected regulations represented)

The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations. See other sections for health and safety information.

U.S. REGULATIONS

CERCLA	No CERCLA Reportable Quantity has been established for this material.
TSCA	All components are included or are exempted from listing on the US Toxic Status Substance Control Act Inventory. This product does not contain any components that are subject to the reporting requirements of TSCA Section 12(b) if exported from the United States.
SARA TITLE III	The hazards stated under Sections 311/312 of SARA Title III are not applicable to this product.
FDA	Potassium silicate is regarded as GRAS (Generally Recognized As Safe) As a corrosion preventative in potable water.

INTERNATIONAL REGULATIONS

Canada	All components are compliant with or are exempted from listing on the Canadian Domestic Substance list.
WHMIS (Canada)	This product isn't controlled under WHMIS Regulations.
European Union	Not all components are included on the European Inventory of Existing Commercial Chemical Substances or the European List of Notified Chemical Substances.
Harmonized Tariff Code	Available on request

DISCLAIMER OF LIABILITY

THE INFORMATION ON THIS SAFETY DATA SHEET IS BELIEVED TO BE ACCURATE AND IT IS THE BEST INFORMATION AVAILABLE TO DRILLGREEN PETROLEUM PRODUCTS. THIS DOCUMENT IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONS FOR HANDLING A CHEMICAL BY A PERSON TRAINED IN CHEMICAL HANDLING. DRILLGREEN PETROLEUM PRODUCTS MAKES NO WARRANTY OF MERCHANT ABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED WITH RESPECT TO SUCH INFORMATION OR THE PRODUCT TO WHICH RELATES, AND WE ASSUME NO LIABILITY RESULTING FROM THE USE OR HANDLING OF THE PRODUCT TO WHICH IT RELATES, AND WE ASSUME NO LIABILITY RESULTING FROM THE USE OR HANDLING OF THE PRODUCT TO WHICH THIS SAFETY DATA SHEET RELATES. USERS AND HANDLERS OF THIS PRODUCT SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION PROVIDED HEREIN FOR THEIR OWN PURPOSES.

www.drillgreen.com

PRODUCTION FACILITY:
6001 US Hwy 59 North
Victoria, TX 77905
361.570.5661 (o)
361.570.5665 (f)

CORPORATE OFFICE:
1909 Woodall Rodgers
Suite 300
Dallas, Texas 75201

DrillGreen Petroleum Products has supplied this bulletin for informational purposes only and makes no guarantees or warranties of any kind, expressed or implied, concerning the accuracy and use of this data. The user assumes all risk of use, storage or handling whether in accordance directions or not. Exercise due care.